

Disposable Grounding pad/Cable High-frequency ESU pencil 负极板/负极板连接线/高频电刀笔



Disposable Grounding pad
负极板(中性电极)



Grounding pad cable
负极板连接线



Disposable High-frequency
ESU pencil
一次性电刀笔



Disposable High-frequency
ESU pencil
一次性电刀笔



Reuse High-frequency
ESU pencil
重复性电刀笔



High-frequency
ESU pencil tip
电刀笔头



Electric coagulation
forceps
电凝钳




Electric coagulation
forceps cable
电凝钳连接线


Certification / 产品认证

CE 1282 ISO13485

Compliance with / 符合标准

ANSI/AAMI EC53-1998(R)2001
EN 60601-1:1900
ISO10993-1:2009E
ISO10993-5:2009
ISO10993-10:2009

Name 产品名称	Productor Guide 产品图片	setolinkP/N 产品编号	Description 产品描述	Price code
Monopolar disposable adult grounding pad,bule gel A		GL001ARS	Aluminium Foil sheet size: 202x82mm thickness:0.8mm	10pcs/pk A5/pk
			Sponge size: 204x104mm (T) 1.0mm single side with gel	
			Film size: 30x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,Size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Bipolar disposable adult grounding pad,bule gel B		GL002ARD	Aluminium Foil sheet size: 202x82mm thickness:0.8mm	10pcs/pk A5/pk
			Sponge size: 204x104mm (T) 1.0mm single side with gel	
			Film size: 30x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Monopolar disposable adult grounding pad(Vertical)		GL003ADS	Aluminium Foil sheet size: 202x82mm thickness:0.8mm	10pcs/pk A5/pk
			Sponge size: 204x104mm (T) 1.0mm single side with gel	
			Film size: 30x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Bipolar disposable adult grounding pad(Vertical)		GL004ADD	Aluminium Foil sheet size: 202x82mm thickness:0.8mm	10pcs/pk A5/pk
			Sponge size: 204x104mm (T) 1.0mm single side with gel	
			Film size: 30x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Bipolar disposable children groudng pad(Vertical)		GL005ARD	Aluminium Foil sheet size: 180x70mm thickness:0.8mm	10pcs/pk A5/pk
			Sponge size: 148x90mm (T) 1.0mm single side with gel	
			Film size: 33x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Monopolar disposable children groudng pad(Vertical)		GL005ARS	Aluminium Foil sheet size: 180x70mm thickness:0.8mm	10pcs/pk A7/pk
			Sponge size: 148x90mm (T) 1.0mm single side with gel	
			Film size: 33x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Monopolar disposable adult grounding pad(horizontal)		GL005CRS	Aluminium Foil sheet size: 170x104mm thickness:0.8mm	10pcs/pk A7/pk
			Sponge size: 206x104mm (T) 1.0mm single side with gel	
			Film size: 33x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Bipolar disposable adult grounding pad(horizontal)		GL006CRD	Aluminium Foil sheet size: 170x104mm thickness:0.8mm	10pcs/pk A7/pk
			Sponge size: 206x104mm (T) 1.0mm single side with gel	
			Film size: 33x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Bipolar disposable adult grounding pad(horizontal)		GL014ADD	Aluminium Foil sheet size: 153X90mm thickness:0.8mm	10pcs/pk A5/pk
			Sponge size: 178X117mm (T) 1.0mm single side with whit e gel	
			Film size: 153X90mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:192X125mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	

Name 产品名称	Productor Guide 产品图片	setolink P/N 产品编号	Description 产品描述	Price code
Bipolar disposable children grounding pad(horizontal)		GL007CDD	Aluminium Foil sheet size: 130x66mm thickness:0.8mm	10pcs/pk A7/pk
			Sponge size: 166x90mm (T) 1.0mm single side with gel	
			Film size: 33x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Monopolar disposable children grounding pad(horizontal)		GL008CDS	Aluminium Foil sheet size: 130x66mm thickness:0.8mm	10pcs/pk A7/pk
			Sponge size: 166x90mm (T) 1.0mm single side with gel	
			Film size: 33x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Above can design produce under client requirement	
Aluminium Foil sheet		GL009	Aluminium Foil sheet size: 530x230 x 0.1mm(L * W * T)	10pcs/pk B5/pk
			Hydrogel: 530x180 x 0.8mm(L * W * T)	
			Waxed wrapper: 530x230 x 0.1mm(L * W * T)	
			Packing: 100 pcs /carton	
			Above can design produce under client requirement	
Bipolar disposable adult electrode with 3m wire(Vertical)		GL010ADS	Aluminium Foil sheet size: 202x82mm thickness:0.8mm	10pcs/pk B5/pk
			Sponge size: 204x104mm (T) 1.0mm double side with white gel	
			Film size: 30x23mm Thickness:0.3mm PVC	
			Waxed wrapper:Color:White,Size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Wire Length:3m,double wire 2*2.0,blue,PVC jacket,Plug code:06	
Disposable adult electrode with 3m wire(Vertical)		GL011ADD	Aluminium Foil sheet size: 202x82mm thickness:0.8mm	10pcs/pk B5/pk
			Sponge size: 204x104mm (T) 1.0mm single side with blue gel	
			Film size: 30x23mm Thickness:0.3mm PVC	
			Waxed wrapper:Color:White,Size:223X123mm	
			Aluminium foil bag size: 267x160mm	
			Wire Length:3m,double wire 2*2.0,blue,PVC jacket,Plug code:04	
Biopilar disposable children electrode with 3m wire(Vertical)		GL012CDS	Aluminium Foil sheet size: 145x70mm thickness:0.8mm	10pcs/pk B5/pk
			Sponge size: 145x92mm (T) 1.0mm double side with white gel	
			Film size: 33x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:167X105mm	
			Aluminium foil bag size: 267x160mm	
			Wire Length:3m,double wire 2*2.0,blue,PVC jacket,Plug code:06	
Disposable children electrode with 3m wire(Vertical)		GL013CDS	Aluminium Foil sheet size: 145x70mm thickness:0.8mm	10pcs/pk B5/pk
			Sponge size: 145x92mm (T) 1.0mm single side with white gel	
			Film size: 33x23mm Thickness:0.3mm PVC	
			Waxed wrapper: Color:White,size:167X105mm	
			Aluminium foil bag size: 267x160mm	
			Wire Length:3m,double wire 2*2.0,blue,PVC jacket,Plug code:04	
			Above can design produce under client requirement	

Name 产品名称	Product Guide 产品图片	setolink P/N 产品编号	Description 产品描述	Price code
Reusable high-frequency electro-pencil circuit electrode cable		PR0102-10	Reusable high-frequency electro-pencil circuit electrode cable, 3m, 6.35 mono male plug (Hi-Fi plug or Erbe plug)	A4
		PR0302-10	Reusable high-frequency electro-pencil circuit electrode cable, 3m, 2.25 copper tube 2pin plug (REM plug, with alarm)	A4
		PR0402-10	Reusable high-frequency electro-pencil circuit electrode cable, 3m, 2.25 copper tube 2pin plug (non-REM plug)	A4
Disposable high-frequency electro-pencil circuit electrode cable		PD0105-10	Disposable high-frequency electro-pencil circuit electrode cable, 3m, 6.35 mono male plug (Hi-Fi plug or Erbe plug)	10pcs/pk A6/pk
		PD0605-10	Disposable high-frequency electro-pencil circuit electrode cable, 3m, 2.25 copper tube 2pin plug (REM plug, with alarm)	10pcs/pk A6/pk
		PD0405-10	Disposable high-frequency electro-pencil circuit electrode cable, 3m, 2.25 copper tube 2pin plug (non-REM plug)	10pcs/pk A6/pk
Disposable ESU pencil blade		PD-0707	Disposable ESU pencil blade (length:155MM) , material: copper nickel-plated, color: light blue, Needle type, 1pc/pk	A2
		PD-0708	Disposable ESU pencil blade (length:155MM) , material: copper nickel-plated, color: light blue, Pellet type, 1pc/pk	A2
		PD-0709	Disposable ESU pencil blade (length:155MM) , material: copper nickel-plated, color: light blue, semicircle wire type, 1pc/pk	A2
		PD-0710	Disposable ESU pencil blade (length:155MM) , material: copper nickel-plated, color: light blue, Triangle wire type, 1pc/pk	A2
		PD-0711	Disposable ESU pencil blade (length:155MM) , material: copper nickel-plated, color: light blue, Flat type, 1pc/pk	A2

Name 产品名称	Product Guide 产品图片	setolink P/N 产品编号	Description 产品描述	Price code
Bipolar Electrode Forceps		PD-0712	Bipolar Electrode Forceps(connector size: 16.5*7*4),high temperature and high pressure steam sterilization is available.	F5
Bipolar electrosurgical cable		PD0713-10	Bipolar electrosurgical cable, length:3m, connector:2*Banana plug	E5
ESU pencil		PR0706-10	Disposable High-frequency ESU pencil,3m,3pin US-connector, frequency:0-1.0Mhz,blade length:70mm(outside40mm), control mode;round key switch(handle)	10pcs/pk B3/pk
ESU pencil		PR0707-10	Disposable High-frequency ESU pencil,3m,3pin US-connector, frequency:0-1.0Mhz,blade length:70mm(outside40mm), control mode;round key switch(handle)	10pcs/pk B3/pk
ESU pencil		PR0708-10	Disposable High-frequency ESU pencil,3m,3pin US-connector, frequency:0-1.0Mhz,blade length:70mm(outside40mm), control mode;Square key switch(handle)	10pcs/pk B3/pk
ESU pencil		PR0709-10	Disposable High-frequency ESU pencil,3m,3pin US-connector, frequency:0-1.0Mhz,blade length:70mm(outside40mm), control mode;round key switch(handle) with a fitter:cleaner	10pcs/pk B3/pk
ESU pencil		PR0710-10	Disposable High-frequency ESU pencil,3m,3pin US-connector, frequency:0-1.0Mhz,blade length:70mm(outside40mm), control mode;round key switch(handle) with a fitter:holster	10pcs/pk B3/pk
ESU pencil		PR0711-10	Disposable High-frequency ESU pencil,3m,3pin US-connector, frequency:0-1.0Mhz,blade length:Teflon coated 70mm(outside40mm),control mode;round key switch(handle)	10pcs/pk B3/pk
ESU pencil		PR0712-10	Disposable High-frequency ESU pencil,3m,6.35 phone plug, frequency:0-1.0Mhz,blade length:70mm(outside40mm), control mode;foot switch	10pcs/pk B3/pk
ESU pencil		PR0713-10	Disposable High-frequency ESU pencil,3m,2.36 one pin plug, frequency:0-1.0Mhz,blade length:70mm(outside40mm), control mode;foot switch	10pcs/pk B3/pk