

ECG Trunk Cable

监护仪分体式主电缆



Multifunction Trunk cable
多功能主电缆



Machine connector
机器端插头



Multifunction Connector
多功能接头



5 LD Trunk cable
5导主电缆



Machine connector
机器端插头



5 LD Connector
导联线接头



3 LD Trunk cable
3导主电缆



Machine connector
机器端插头



5 LD Connector
导联线接头

Product Number Example:G0V010-5I

①G(Type) ②0V010(Connector Number) ③5I(Standard)

①	G	Monitor ECG Cable and ECG Lead Wire
	5A	5 LD AHA
	3A	3 LD AHA
③	5AI	5 LD AHA/IEC
	5I	5 LD IEC
	3I	3 LD IEC
	3AI	3 LD AHA/IEC

产品编号释义 例:G0V010-5I

①G(产品类别) ②0V010(插头编号流水) ③5I(导数标准)


①	G	监护仪电缆、心电图机电缆与导联线
	5A	5导美标
	3A	3导美标
③	5AI	5导美标/欧标
	5I	5导欧标
	3I	3导欧标
	3AI	3导美标/欧标



Certification / 产品认证

CE 1282 ISO13485

Comply with / 符合标准

ISO 15223-1:2012 EN ISO 14971:2012
EN 1041:2008 IEC60601-1:2005
EN ISO 10993-1:2009 MDD 93/42/EEC
EN ISO 10993-5:2009 ISO 13485:2012
ISO 10993-10:2010

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke 分线器	Price code
Mindray 迈瑞	PM-7000, PM-8000series, PM-9000series, new PM-6000	0010-30-12378	G0E16-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 6pin>Euro 3LD, 1KΩ resistance fit for Euro style LeadWires		B4
		0010-30-12257	G0E16-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 6pin>Euro 5LD, 1KΩ resistance fit for Euro style LeadWires		B5
	PM-6800,PM-6000(produce after 2004) with 12-pin green input connector, BeneView (T5, T6, T8) , iPM Series	0010-30-42724	G0E112-3AI		3Ld Patient Cable,9ft AHA/IEC, straight Round 12P>Euro 3LD, 1KΩ resistance fit for Euro style LeadWires		B4
		0010-30-42723	G0E112-5AI		5Ld Patient Cable,9ft AHA/IEC, straight Round 12P>Euro 5LD, 1KΩ resistance fit for Euro style LeadWires		B5
	PM6000, with 12-pin green input connector	0010-30-12379	G1E112-3AI		3Ld Patient Cable,9ft AHA/IEC, Type L Round 12P>Euro 3LD, 1KΩ resistance fit for Euro style LeadWires		B4
		0010-30-12260	G1E112-5AI		5Ld Patient Cable,9ft AHA/IEC, Type L Round 12P>Euro 5LD, 1KΩ resistance fit for Euro style LeadWires		B5
GE-Medical Marquette 通用医疗-马奎特	GEMS:Dash PRO 4000, Dash PRO 3000, Dash PRO 2000, Dash 1000, Eagle Systems, MAC-Lab, Solar 9500, Solar 8000. Solar 3000, Tram 100, Tram 200, Tram 300, Tram 400, Tram 500, Tram 600, Tram 800, Unity Systems		G0V010-5A		5Ld Patient Cable,9ft AHA, Round 10J>VS 5LD, no resistance fit for VS style LeadWires		B5
			G0V010-5I		5Ld Patient Cable,9ft IEC, Round 10J>VS 5LD, no resistance fit for VS style LeadWires		B5
	Pro1000		G0A16-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 6pin>ASP 3LD, 1KΩ resistance fit for ASP style LeadWires		B4
			G0A16-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 6pin>ASP 5LD, 1KΩ resistance fit for ASP style LeadWires		B5
							B5
GE-Hellige 海力格	Hellige,Servomed 4 , Generation, SCP 851, SCP 852 , SCP 844, SCS 804,, CardioServ , VICOM-sm		G2L010-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 10P>LL 3LD, no resistance fit for LL style LeadWires		B5


Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke 分线器	Price code
GE-Hellige 海力格	Hellige,Servomed 4 , Generation, SCP 851, SCP 852 , SCP 844, SCS 804,CardioServ , VICOM-sm		G2L010-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 10P>LL 5LD, no resistance fit for LL style LeadWires		B5
	Hellige,Servomed 4 , Generation, SCP 851, SCP 852 , SCP 844, SCS 804,CardioServ , VICOM-sm		G1A110-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 10J>ASP 3LD, 1KΩ resistance fit for ASP style LeadWires		B6
			G1A110-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 10J>ASP 5LD, 1KΩ resistance fit for ASP style LeadWires		B6
Nihon Kohden 日本光电	OEC-6102A (s/n<20156), OEC-6105A (s/n<20226), OEC-6120A/J/K BSM-7105K		G0D08-3AI		3Ld Patient Cable, 9ft AHA/IEC, Round 8p>Din 3LD, no resistance fit for Din style LeadWires		B3
		JC-005P	G0D08-5AI		3Ld Patient Cable,9ft IEC, Round 8p>NK 6J, no resistance fit for BR-019 LeadWires		B5
	BSM-7102A,OMP-7201C, OMP-7203C, TEC-5200A (s/n<20421)		G0D011-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 11p>Din 3LD, no resistance fit for Din style LeadWires		B3
			G0B011-3I		3Ld Patient Cable,9ft IEC, Round 11p>NK 6J no resistance fit for BR-019 LeadWires		B5
	BSM-2301, BSM-2353, BSM-5100, Multi-parameter bedside monitors		G0N012-6I		6Ld Patient Cable,9ft IEC, Rectangle 12p>NK 8J, no resistance fit for BR-903P, BR-906P		B5
	OPV-1500 Lifescope N	L060 JC-103T	G0N015-3I		3Ld Patient Cable,9ft IEC, AMP 20p>NK 8J, resistance 4.6K fit for BR-903P, BR-906P		B5
	BSM-8301A/8302A/8500A,BSM-8502A, OEC-6102A(s/n>20156), OEC-6105A(s/n>20226),OEC-7102A/8108A,TEC-5200A(s/n>20421), TEC-7100A/7200A /7300A	L152 JC-762V	G0N06-5I		5Ld Patient Cable,9ft IEC, Round 6pin>NK 6J no resistance fit for BR-019 LeadWires		B5
Biosys	BPM-103		G1D16-3AI		3Ld Patient Cable,9ft AHA/IEC, Readle 6pin>Din 3J, 1KQ resistance fit for Din style LeadWires		B4
			G1D16-5AI		5Ld Patient Cable,9ft AHA/IEC, Readle 6pin>Din 5J, 1KQ resistance fit for Din style LeadWires		B5

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke 分线器	Price code
PHILIPS 飞利浦	78352C, 7834C, 78834C, M1001A/B, M1002A/B, M1722A/B, M1723A/B, M2475B, M3000A, M3001A, M4735A, VM4/V24	M1500A	G0A112-3A		3Ld Patient Cable, 9ft AHA, Round 12p>AA-3LD 1KΩ resistance fit for AA style LeadWires		B4
		M1510A	G0A112-3I		3Ld Patient Cable, 9ft IEC, Round 12p>AA-3LD 1KΩ resistance fit for AA style LeadWires		B5
		M1520A	G0A112-5A		5Ld Patient Cable, 9ft AHA, Round 12p>AA-5LD 1KΩ resistance fit for AA style LeadWires		B5
		M1530A	G0A112-5I		5Ld Patient Cable, 9ft IEC, Round 12p>AA-5LD 1KΩ resistance fit for AA style LeadWires		B5
	78834C 78850A	M1620A	G0A15-3A		3Ld Patient Cable, 9ft AHA, Round 5p>AA-3LD 1KΩ resistance fit for AA style LeadWires		B4
			G0A15-3I		3Ld Patient Cable, 9ft IEC, Round 5p>AA-3LD 1KΩ resistance fit for AA style LeadWires		B4
	M3000A, M3001A, M1001A/B, M1002A/B, 78352C, 78354C	M1669A	G0L112-3AI		3Ld Patient Cable, 9ft IEC/AAMI, Round 12p>3-LD 1KΩ resistance fit for DG type LeadWires		C5
	M3000A, M3001A, M1001A/B, M1002A/B, 78352C, 78354C	M1668A	G0L112-5AI		5Ld Patient Cable, 9ft IEC/AAMI, Round 12p>5-LD 1KΩ resistance fit for DG type LeadWires		C6
	Philips Instruments with 8-Pin Connector: 77000AC, 77020A/AC, 77020AR, 77025A, 770 30A, 77035A, 77040A, 78208A, 782 10A, 78330A, 78331A, 78332A, 783 33A, 78341A, 78342A, 78345A, 783 46A, 78351T, 78352A, 78353A/B, 78 354A, 78532A/B, 78534A/B/C, M17 22A/B, M1723A/B, M2400A, M2406 A, M2475B, M3500B	M1580A	G0A18-3A		3Ld Patient Cable, 9ft AHA, Round 8p>AA-3LD 1KΩ resistance fit for AA style LeadWires		B4
		M1590	G0A18-3I		3Ld Patient Cable, 9ft IEC, Round 8p>AA-3LD 1KΩ resistance fit for AA style LeadWires		B4
	Philips Instruments with 8-Pin Connector: 78208A, 78210A, 78330A, 78331A, 78332A, 78333A, 78341A, 78342A, 78345A, 78346A, 78351T, 78352A, 7 8353A, 78354A, 78532A/B, 78534A/ B/C, M1722A/B, M3500B	M1600A	G0A18-5A		5Ld Patient Cable, 9ft AHA, Round 8p>AA-5LD 1KΩ resistance fit for AA style LeadWires		B5
		M1610A	G0A18-5I		5Ld Patient Cable, 9ft IEC, Round 8p>AA-5LD 1KΩ resistance fit for AA style LeadWires		B5

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke 分线器	Price code
Siemens 西门子	Sirecust Series 400, 500, 600, Serie 700, 900, 1200, Sirecust 341/610/620/630/720/722, Sirecust 730/732/900/960/961/1260, Sirecust 1281/1801/400/-500, ECG Monitor, Polymed Modul, Modulbox Sirem		G1L010-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 10J>LL 3LD, no resistance fit for LL style LeadWires		B4
			G1L010-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 10J>LL 5LD, no resistance fit for LL style LeadWires		B5
			G0E010-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 10J>Euro 3LD, no resistance fit for Euro style LeadWires		B4
			G0E010-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 10J>Euro 5LD, no resistance fit for Euro style LeadWires		B5
Bionet	BM3		G0L18-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 8pin>LL-3LD, 1KΩ resistance fit for LL style LeadWires		B4
			G0L18-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 8pin>LL-5LD, 1KΩ resistance fit for LL style LeadWires		B5
	BM5		G0A115-3A		3Ld Patient Cable,9ft AHA Rectangle 12pin>LL-3LD, no resistance		
			G0A115-3I		3Ld Patient Cable,9ft IEC Rectangle 12pin>LL-3LD, no resistance		
Colin 科林	BP88 / BP306		G0J06-5I		5Ld Patient Cable,9ft IEC, L type round 6pin>6J, no resistance fit for Colin LeadWires		B0
	BP88S		G1J06-5I		5Ld Patient Cable,9ft IEC, straight 6P>6J, no resistance fit for Colin LeadWires		B0
Creative 科瑞康 Spurt 世博达 Biolight 宝莱特	Creative: PC9000S,PC9000,UP6000, Biolight: M12		G2D16-3AI		3Ld Patient Cable,9ft AHA/IEC, Readel 6pin>Din 3J, 1KΩ resistance fit for Din style LeadWires		B4
			G2D16-5AI		5Ld Patient Cable,9ft AHA/IEC, Readel 6pin>Din 5J, 1KΩ resistance fit for Din style LeadWires		B5

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke 分线器	Price code
Din Style ECG trunk cable Normal use	AIR SHIELDS (NARCO,Vickers) : HRRM-71-1/2 ,Porta-Fib I, II, III, System 5 (new), System 6 (Neonatal); ATL ULTRASOUND: 800 ,800 Plus, Apogee , CX ATL ULTRASOUND: CX200,CX400,HDI 9/2000,Interspec Cardiology XL,Mark IV,Mark VII , Ultramark 4,Ultramark 4 Plus, Ultramark 5 ,Ultramark7,Ultramark 9; BIOCHEM INTERNATIONAL (BCI):3101,3404,6100,6200, 9100,9200,Advisor ,Autocorr COLIN Medical instruments: BP308, BP408, CBM3000 CRITICARE SYSTEMS, INC. (CSI):504US, 602-4USP, Poet 2,Scholar GE medical systems : Corometrics 556, Critikon 8100T, Critikon Dinamap 8700 Series, Critikon Dinamap 9700 Series IVY biomedical systems :101 (before 1989), 402, 700 LIFE SCIENCE INSTRUMENTS (LSI):LS5 , 261 MEDICAL DATA electronics (MDE):Escort 100, Escort 101, Escort 102 , Escort 200,Escort 300, Prism , 360SL, 450SL, 521A , PortaPak 80 , PortaPak 90 , PortaPak 1000; Medtronic Physio-control : Lifepak 6 ,VSM-1ESF(w/resistors); NELLCOR :N-200 C-LOCK, N-250 C-LOCK, N-1000 , NPB-3900, NPB-4000; NIHON KOHDEN :BSM-8301A, BSM-8302A, BSM-8500A , BSM-8502A, OEC-6102A (s/n>20156), OEC-6105A (s/n>20226), OEC-7102A , OEC-8108A, TEC-5200A(s/n>20421) , TEC-7100A , TEC-7200A , TEC-7300A; PACETECH:Minipack 300 , Minipack 3000, Minipack 3100, MiniMax 4000CL, Vitalmax800 Plus, Vitalmax 2100, Vitalmax 2200,Vitalmax 4000, Vitalmax 4000CL, Vitalmax4000 Modular, Vitalmax 4100, Vitalmax4100CL; PHILIPS MEDICAL SYSTEMS: M3921A A1 Compact Monitor , M3923A A1 Compact Monitor, M3925A A1 Compact Monitor , M3927A A3 Compact Monitor , M3929A A3 Compact Monitor PIONEER (American Optical): 26125 , 33167, 5260 , 5330 , Pulsar 4; PPG(Datamedix, Becton-Dickinson):Guardian 1001, Guardian N1001 SPACELABS BURDICK :Medic 3, Medic 4 , Medic 5 , 4045 Defib, 500 Series,600 Series, 900 Series (w/o respiration) , 90300 Series, 90400 Series, 90600 Series, 90700 Series, TEK-208, TEK-408, TEK-511 ,TEK-512 , TEK-514, TEK-521, PC Bedside ,PCMS System; TEKTRONIX (Vitatek) :4045 Defib , 208 , 400 Series, 500 Series; WELCH ALLYN (Protocol):Propaq 100 Series, Propaq 200 Series, Propaq Encore, Propaq CS , Ultra Smart, Atlas ZOLL :D900, PD1200, PD1400	D-1340	G0D06-3AI		Din 3Ld Patient Cable,9ft AHA/IEC, straight 6pin>Din 3J, no resistance fit for Din style LeadWires		B4
		D-1540	G0D06-5AI		Din 5Ld Patient Cable,9ft AHA/IEC, straight 6pin>Din 5J, no resistance fit for Din style LeadWires		B5
			G0D16-3AI		Din 3Ld Patient Cable,9ft AHA/IEC, straight 6pin>Din 3J, 1KΩ resistance fit for Din style LeadWires		B4
			G0D16-5AI		Din 5Ld Patient Cable,9ft AHA/IEC, straight 6pin>Din 5J, 1KΩ resistance fit for Din style LeadWires		B5
Lifelinc (LL) Style ECG trunk cable Normal use			G0L06-3AI		LL 3Ld Patient Cable,9ft AHA/IEC, straight 6pin>LL 3LD, no resistance fit for LL style LeadWires		B4
			G0L06-5AI		LL 5Ld Patient Cable,9ft AHA/IEC, straight 6pin>LL 5LD, no resistance fit for LL style LeadWires		B5
			G0L16-3AI		LL 3Ld Patient Cable,9ft AHA/IEC, straight 6pin>LL 3LD, 1KΩ resistance fit for LL style LeadWires		B4
			G0L16-5AI		LL 5Ld Patient Cable,9ft AHA/IEC, straight 6pin>LL 5LD, 1KΩ resistance , fit for LL style LeadWires		B5
Conmed Style ECG trunk cable Normal use			G0C06-3AI		Conmed 3Ld Patient Cable, Length: 9ft ; AHA/IEC, straight 6pin>Conmed 3LD, no resistance, fit for Conmed style LeadWires		B4
			G0C06-5AI		Conmed 5Ld Patient Cable, Length: 9ft ; AHA/IEC, straight 6pin>Conmed 5LD, no resistance, fit for Conmed style LeadWires		B5
			G0C16-3AI		Conmed 3Ld Patient Cable, Length: 9ft ; AHA/IEC, straight 6pin>Conmed 3LD, 1KΩ resistance, fit for Conmed style LeadWires		B6
			G0C16-5AI		Conmed 5Ld Patient Cable, Length: 9ft ; AHA/IEC, straight 6pin>Conmed 5LD, 1KΩ resistance, fit for Conmed style LeadWires		B7

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke 分线器	Price code
Biolight 宝莱特	BiolightQ5		G0L021-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 12pin>LL-3LD, 1KΩ resistance		B2
			G0L021-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 12pin>LL-5LD, 1KΩ resistance		B2
	Biolight M8500		G1D001-3AI		Din 3Ld Patient Cable,9ft AHA/IEC, straight 12pin>Din 3J, 1KΩ resistance		B2
Datascope	2000,2001,2002,2100,2200,3000, 3000A ,Ballon Pump,M/D3 w/lead select,M/D3A,M/D4,Passport, Passport IL,Passport XG, PassportXL,Passport 2,Passport 2LT,Spectrum System 90, System 90T , System 96, System 97		G1D06-3AI		Din 3Ld Patient Cable,9ft AHA/IEC, straight 6pin>Din 3J, no resistance fit for Din style LeadWires		B4
			G1D06-5AI		Din 5Ld Patient Cable,9ft AHA/IEC, straight 6pin>Din 5J, no resistance fit for Din style LeadWires		B5
Datex 德恩	AS/3, CS/3, S/5, Cardiocap 1, Cardiocap 2 , Cardiocap 5 , Light Monitor , Satliteplus		G0L010-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 10J>LL 3LD, no resistance fit for LL style LeadWires		B4
			G0L010-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 10J>LL 5LD, no resistance fit for LL style LeadWires		B5
Datex-Ohmeda 德恩-欧美达	AS/3, CS/3, S/5, Cardiocap 1, Cardiocap 2 , Cardiocap 5 , Light Monitor , Satliteplus		G0A110-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 10J>ASP 3LD, 4.7KΩ resistance fit for ASP style LeadWires		B5
			G0A010-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 10J>ASP 5LD, no resistance fit for ASP style LeadWires		B6
Drager Siemens 德格尔 西门子	Drager UM1/3/3.1, RM1, PM8010, PM8014, Babyguard 8000, Cato, Babylog8000/8000 plus, PB8800,Serie 8000, Cicero, Parameterbox,		G0D010-3AI		SG 3Ld Patient Cable,9ft AHA/IEC, Round 10pin>Din 3J, no resistance fit for Din style LeadWires		B0
	Multimed-Pot system fur serie SC 6000, SC 6002XL, SC 7000, SC 9000, Art. Nr.3368391 (8.2ft) Art. Nr. 5950196 (4.9ft)		G0E016-5AI		SC9000XL Multi-link Cable, 8.2ft AHA/IEC, 1KΩ resistance fit for Euro style LeadWires		F5
			G0E017-5AI		SC9000XL Multi-link Cable, 8.2ft AHA/IEC, 1KΩ resistance		J9

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke 分线器	Price code
Goldway 金科威	UT4000A, UT4000Apro, UT6000A, UT4000B, UT4000C, UT4000F, UT6000F, UT4000Fpro, UT4800		G1L06-3AI		3Ld Patient Cable, 9ft AHA/IEC, Round 6p>LL 3LD, no resistance fit for LL style LeadWires		B4
			G1L06-5AI		5Ld Patient Cable, 9ft AHA/IEC, Round 6p>LL 5LD, no resistance fit for LL style LeadWires		B5
Kontron 康强	7000, 7135, 7135B, 7141, 7210, 7250, 7251, K2000, KAAT, Kolormon, Micromon, Minimon, Supermon, Vitalmon		G0L012-3AI		3Ld Patient Cable, 9ft AHA/IEC, Round 12P>LL 3LD, no resistance fit for LL style LeadWires		B4
			G0L012-5AI		5Ld Patient Cable, 9ft AHA/IEC, Round 12P>LL 5LD, no resistance fit for LL style LeadWires		B5
Huntleigh Healthcare 亨利特	UK MONITOR		G1L036-3AI		3Ld Patient Cable, 9ft AHA/IEC, Lemo 8 pin>Din 3LD, no resistance fit for Din style LeadWires		B5
MEK 美克	MP1000, MP600, MP500		G0D09-3AI		Din 3Ld Patient Cable, 9ft AHA/IEC, DB9M>Din 3J, no resistance fit for Din style LeadWires		B4
			G0D09-5AI		Din 5Ld Patient Cable, 9ft AHA/IEC, DB9M>Din 5J, no resistance fit for Din style LeadWires		B5
	M160246, M360697		G2L06-3AI		3Ld Patient Cable, 9ft AHA/IEC, MD6M>LL 3LD, no resistance fit for LL style LeadWires		B4
			G2L06-5AI		5Ld Patient Cable, 9ft AHA/IEC, MD6M>LL 5LD, no resistance fit for LL style LeadWires		B5
NEC	3M12	47524	G0N016-3I		3Ld Patient Cable, 9ft AHA/IEC, Round 16p>NEC 3LD, no resistance fit for 47504 LeadWires		B0
		47525	G0N016-5I		5Ld Patient Cable, 9ft AHA/IEC, Round 16p>NEC 5LD, no resistance fit for 47505 LeadWires		B0
Schiller 席勒	argus TM-7		G0E018-3AI		3Ld Patient Cable, 9ft AHA/IEC, Round 12pin>Euro type 3Ld fit for Euro type LeadWires		B4

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke 分线器	Price code
S&W阿提玛 (Artema)	8000 System, Diascope1,2 , Neoscope, DMS 700, defibrillator, Diascope-NT, Athena Systems, Cardio-Aid, DS Traveller, DSNT, DS1,DS2, MCX/LS		G3L010-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 10J>LL 3LD, no resistance fit for LL style LeadWires		B4
			G3L010-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 10J>LL 5LD, no resistance fit for LL style LeadWires		B5
Fukuda 福田 Denshi	Fukuda 7100 series		G5L015-3AI		3Ld Patient Cable,9ft, AHA/IEC, Round 12pin>Euro type 3Ld, fit for Euro type LeadWires		C5
			G5L015-5AI		5Ld Patient Cable,9ft, AHA/IEC, Round 12pin>Euro type 5Ld, fit for Euro type LeadWires		C5
	DATASCOPE:Expert FUKUDA DENSHI:DS5100E, DS5300W, DS5400, DS7101/L, DS7141		G5L016-3AI		5Ld and 3Ld Patient Cable,9ft AHA/IEC, Round 12pin> 16 jack non- resistance fit for EY032S3I LeadWires		C5
SPACELABS 太空	90496 Ultraview, 90369 Ultraview,90367 Ultraview	IEC:700- 0008- 07AHA: 700- 0008-06	G0T117-5AI		5Ld Patient Cable,9ft AHA/IEC, Round 17p>TRU-LINK 5Ld, 1KΩ resistance fit for TRU-LINK LeadWires		B8
	90496 Ultraview 90369 Ultraview 90367 Ultraview MCARE 300		G0D019-3AI		Din 3Ld Patient Cable,9ft AHA/IEC, Round 17p>Din 3J, 1KΩ resistance fit for Din style LeadWires		B5
			G0D019-5AI		Din 5Ld Patient Cable,9ft AHA/IEC, Round 17p>Din 5J, 1KΩ resistance fit for Din style LeadWires		B5
Mennen			G0A113-3A		3Ld Patient Cable,9ft AHA, Round 13p>AA-3LD 1KΩ resistance fit for AA style LeadWires		B5
			G0A113-3I		3Ld Patient Cable,9ft IEC, Round 13p>AA-3LD 1KΩ resistance fit for AA style LeadWires		B6
			G0A113-5A		5Ld Patient Cable,9ft AHA, Round 13p>AA-5LD 1KΩ resistance fit for AA style LeadWires		B5
			G0A113-5I		5Ld Patient Cable,9ft AHA, Round 13p>AA-5LD 1KΩ resistance fit for AA style LeadWires		B6

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke 分线器	Price code
SPACELABS 太空 BURDICK 伯迪克 Viggo- Spectramed (Statham) WESTINGHOUSE	GE MEDICAL:Corometrics 503,Corometrics 504, Corometrics 508; SIEMENS:806180A Nuclear Camera		G0E05-3AI		3Ld Patient Cable,9ft AHA/IEC, Round 5pin>Euro 3LD, no resistance , fit for Euro style LeadWires		B0
	ADVANCED MEDICAL RESEARCH (AMR):Model 3R; AEQUITRON MEDICAL:9101,9216 (Neonate),ATL ULTRASOUND:Ultramark 8, Ultramark 6,Mark VIII,Mark III,Mark II,600,400; BARD:500,500 GILSON; BECKMAN (Offner):Offner Dynograph (all),VSM-10C, RM-10 BIOCOM; INC:All models; BOURNS LIFE SYSTEMS:118-1/2/3; DELMAR:2000 Series,2820,2920,2920A; GE MEDICAL SYSTEMS:Critikon Exerstress; MEDICAL ELECTRONICS:All Models (except A30, A40); HEALTHWATCH (Cambridge):MC-4, Simpli Scribe, Versa Scribe, VS-1/2/3; INTERSPEC (Irex) (J&J):System II Echo; KDC:All Models (except Infant IM); MARCONI MEDICAL:464B, 51-690, CA101, CA105, Echoview 80C, ECO-6, RC-101/M; PIONEER (American Optical):Life Rite 50 ; PPG (Datamedix, Becton-Dickinson):105 w/lead select, ELD-320W, ELD-400, HR-4, IPA-1/2/3/4, IPA-BD21, IS-5LB, MS-25L, S-5BL , Statscope; PPG (E for M):EAI Series,ECG-6 Series,ECI Series,ECV Series,EDI Series,ECP-8, ERI Series,ETD-8 PPG (Honeywell): 5100 w/ lead select ; SPACELABS BURDICK:CS615,CS625A,CSS20 ,CSS23 CSS27,CSS7200,EK1,EK2,EK3,EK4,EK5/A/AS,EK8SS,M200,Medic 1,Medic 2,PA-100,PA-104,PA-105,1600,2100; VIGGO-SPECTRAMED (Statham):6703,Ekoline 21,WESTINGHOUSE:All Models						
Lohmeier 隆美尔			G5L017-3AI		3Ld Patient Cable,9ft IEC/AAMI , 5pin+5Jack plug>Din-3LD non-resistance fit for Din1.5 style Leads		C5
	D-81241	98.060.1 20/A	G5L017-5AI		5Ld Multi-Cable,9ft IEC/AAMI , 27pin plug>Euro 5Ld ECG+2*IBP+SpO2+2*Temp (discharge inside)		
			G0A113-3A		3Ld Patient Cable,9ft AHA, Round 13p>AA-3LD 1KΩ resistance fit for AA style LeadWires		B4
			G0A113-5A		5Ld Patient Cable,9ft AHA, Round 13p>AA-5LD 1KΩ resistance fit for AA style LeadWires		B4
			G0A114-5A		5Ld Patient Cable,9ft AHA, Round 12p>AA-5LD 1KΩ resistance fit for AA style LeadWires		B4