

ECG Lead Wire

监护仪分体式导联线



5 LD Snap
5导扣式



5 LD Clip
5导夹式



5LD Connector
5导插头



3 LD Snap
3导扣式



3 LD Clip
3导夹式



3 LD Connector
3导插头



AHA
美标



IEC
欧标

Product Number Example: G0E24S3A

①G(Type)②0E24(Connector Number)
③K(Electrode connector Type) ④3A(Standard)

①	G	Monitor ECG Cable and ECG Lead Wire
③	S	Snap
	C	Clip
④	5A	5 LD AHA
	3A	3 LD AHA
	4A	4 LD AHA
	5I	5 LD IEC
	3I	3 LD IEC
	4I	4 LD IEC

产品编号释义 例:G0E24S3A

①G(产品类别)②0E24(插头编号流水)
③S(电极端类型) ④3A(导数标准)


①	G	监护仪电缆、心电图机电缆与导联线
③	S	扣式
	C	夹式
④	5A	5导美标
	3A	3导美标
	4A	4导美标
	5I	5导欧标
	3I	3导欧标
	4I	4导欧标

Certification / 产品认证



CE1282 ISO13485

Comply with / 符合标准

ISO 15223-1:2012 EN ISO 14971:2012
EN 1041:2008 IEC60601-1:2005
EN ISO 10993-1:2009 MDD 93/42/EEC
EN ISO 10993-5:2009 ISO 13485:2012
ISO 10993-10:2010

Compatible brand 兼容品牌	Product Guide 产品图片	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Color coding/Leads 颜色代码/ 标准	Description 产品描述	Price code	
DIN式导联线 Biosys Creative Datascope Nihon Kohden AIR SHIELDS (NARCO, Vickers) ATL ULTRASOUND BIOCHEM INTERNATIONAL COLIN Medical CRITICARE IVY	 suitable for all Din-Plug System , Yoke type: Din style		G0D18S3A		AHA (AAMI) Snap	Din lead wires, 18 in. (45 cm) , 3-Ld	A8	
			G0D18C3A		AHA (AAMI) Clip			
			G0D18S3I		IEC Snap			
			G0D18C3I		IEC Clip			
			G0D18S5A		AHA (AAMI) Snap	Din lead wires, 18 in. (45 cm) , 5-Ld	B1	
			G0D18C5A		AHA (AAMI) Clip			
			G0D18S5I		IEC Snap			
			G0D18C5I		IEC Clip			
			G0D24S3A		AHA (AAMI) Snap	Din lead wires, 24 in. (61 cm) , 3-Ld	A8	
			G0D24C3A		AHA (AAMI) Clip			
			G0D24S3I		IEC Snap			
			G0D24C3I		IEC Clip			
			G0D24S5A		AHA (AAMI) Snap	Din lead wires, 24 in. (61 cm) , 5-Ld	B1	
			G0D24C5A		AHA (AAMI) Clip			
			G0D24S5I		IEC Snap			
			G0D24C5I		IEC Clip			
			G0D40S3A		AHA (AAMI) Snap	Din lead wires, 40 in. (102 cm) , 3-Ld	A9	
			G0D40C3A		AHA (AAMI) Clip			
			G0D40S3I		IEC Snap			
			G0D40C3I		IEC Clip			
			G0D40S5A		AHA (AAMI) Snap	Din lead wires, 40 in. (102 cm) , 5-Ld	B2	
			G0D40C5A		AHA (AAMI) Clip			
			G0D40S5I		IEC Snap			
			G0D40C5I		IEC Clip			
LL型导联线 Bionet Datex Siemens GE-Hellige Kontron Goldway S&W (Artema)	 suitable for all LL-Plug System , Yoke type: Lifelinc(LL)		G0L24S3A		AHA (AAMI) Snap	LL lead wires, 24 in. (61 cm) , 3-Ld	A8	
			G0L24C3A		AHA (AAMI) Clip			
			G0L24S3I		IEC Snap			
			G0L24C3I		IEC Clip			
			G0L24S5A		AHA (AAMI) Snap	LL lead wires, 24 in. (61 cm) , 5-Ld	B14	
			G0L24C5A		AHA (AAMI) Clip			
			G0L24S5I		IEC Snap			
			G0L24C5I		IEC Clip			
			G0L40S3A		AHA (AAMI) Snap	LL lead wires, 40 in. (102 cm) , 3-Ld	A9	
			G0L40C3A		AHA (AAMI) Clip			
			G0L40S3I		IEC Snap			
			G0L40C3I		IEC Clip			
			G0L40S5A		AHA (AAMI) Snap	LL lead wires, 40 in. (102 cm) , 5-Ld	B2	
			G0L40C5A		AHA (AAMI) Clip			
			G0L40S5I		IEC Snap			
			G0L40C5I		IEC Clip			
AA型导联线 PHILIPS	 suitable for all AA-Plug System , Yoke type: AA style, OR:For operating room use;includes special filtering; does not allow respiration monitoring.	M1605A	G0A40S3A		AHA (AAMI) Snap	AA lead wires, 40 in. (102 cm) , 3-Ld	B2	
		M1603A	G0A40C3A		AHA (AAMI) Clip			
		M1615A	G0A40S3I		IEC Snap			
		M1613A	G0A40C3I		IEC Clip			
		M1625A	G0A40S5A		AHA (AAMI) Snap	AA lead wires, 5-Ld LL,RL,V=40in.(102cm), RA,RL=51in.(130 cm)	B3	
		M1623A	G0A40C5A		AHA (AAMI) Clip			
		M1635A	G0A40S5I		IEC Snap			
		M1633A	G0A40C5I		IEC Clip			
			M1601A		G1A40C3A	AHA (AAMI) Clip	AA lead wires, 5-Ld , OR LL,RL,V=40in.(102cm), RA,RL=51in.(130 cm)	B4
			M1611A		G1A40C3I	IEC Clip		
			M1621A		G1A40C5A	AHA (AAMI) Clip	DG type Ldwr,5-Ld Set-Group, LL,RL,V=40in.(102cm), RA,RL=51in.(130 cm)	B5
			M1631A		G1A40C5I	IEC Clip		
DG型导联线 PHILIPS 飞利浦	DG type lead wire M3000A, M3001A, M1001A/B, M1002A/B, 78352C, 78354C	M1673A	G0M40S3A		AHA (AAMI) Snap	DG type Ldwr,3-Ld Set-Group, 40 in (102cm)	B8	
		M1674A	G0M40S3I		IEC Snap			
		M1671A	G0M40C3A		AHA (AAMI) Clip			
		M1672A	G0M40C3I		IEC Clip			
		M1644A	G0M40S5A		AHA (AAMI) Snap	DG type Ldwr,5-Ld Set-Group, LL,RL,V=40in.(102cm), RA,RL=51in.(130 cm)	B8	
		M1645A	G0M40S5I		IEC Snap			
		M1968A	G0M40C5A		AHA (AAMI) Clip			
					IEC Clip			
ASP type lead wire Datex-Ohmeda GE-medical Pro1000	suitable for all ASP-Plug System , Yoke type: ASP		G0A24S3A		AHA (AAMI) Snap	ASP lead wires, 24 in. (61 cm) , 3-Ld	B2	
			G0A24C3A		AHA (AAMI) Clip			
			G0A24S3I		IEC Snap			
			G0A24C3I		IEC Clip			

Compatible brand 兼容品牌	Product Guide 产品图片	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Color coding/Leads 颜色代码/ 标准	Description 产品描述	Price code	
VS型一体导线线 GE--Marquette 通用-马奎特 (Set –Group type Lead wires)	 suitable for all Multi-link(VS)-Plug System , Yoke type: Multilink(VS)	E9008LF	G0V29S3A		AHA (AAMI) Snap	VS type Ldwr Set – Group,, 29 in. (76 cm) , 3-Ld	B2	
		E9003CL	G0V29C3A		AHA (AAMI) Clip			
		E9008LH	G0V29S3I		IEC Snap			
		E9003CN	G0V29C3I		IEC Clip	VS type Ldwr Set – Group,, 51 in. (130 cm) , 3-Ld	B3	
		E9008LG	G0V51S3A		AHA (AAMI) Snap			
		E9003CM	G0V51C3A		AHA (AAMI) Clip			
		E9008LJ	G0V51S3I		IEC Snap	VS type Ldwr Set – Group,, 29 in. (76 cm) , 5-Ld	B2	
		E9003CP	G0V51C3I		IEC Clip			
		E9008L	G0V29S5A		AHA (AAMI) Snap		B3	
		E9003CE	G0V29C5A		AHA (AAMI) Clip	VS type Ldwr Set – Group,, 51 in. (130 cm) , 5-Ld		
		E9008LB	G0V29S5I		IEC Snap			
		E9003CG	G0V29C5I		IEC Clip	VS type Ldwr SetGroup, 5-Ld , Mixed Length, (RL,LL,V)/(N,F,C)-51in.(130cm) RA,LA-29 in.(74cm)	B4	
		E9008LA	G0V51S5A		AHA (AAMI) Snap			
		E9003CF	G0V51C5A		AHA (AAMI) Clip			
		E9008LC	G0V51S5I		IEC Snap	VS type Ldwr SetGroup, 5-Ld , Mixed Length, (RL,LL,V)/(N,F,C)-51in.(130cm) RA,LA-29 in.(74cm)	B4	
			G0V51C5I		IEC Clip			
VS型导线线(可拆) GE-Medical 通用-马奎特 Marquette (Set –Assembly type Lead wires)	 suitable for all Multi-link(VS)-Plug System , Yoke type: Multilink(VS)	E9008KB	G1V29S5A		AHA (AAMI) Snap	VS type Ldwr Set 29 in. (76 cm) , 5-Ld	B2	
		E9002ZW	G1V29C5A		AHA (AAMI) Clip			
		E9008KD	G1V29S5I		IEC Snap	VS type Ldwr Set, 51 in. (130 cm) , 5-Ld	B2	
		E9002ZZ	G1V29C5I		IEC Clip			
		E9008KC	G2V51S5A		AHA (AAMI) Snap	VS type Ldwr SetGroup, 5-Ld , Mixed Length, (RL,LL,V)/(N,F,C)-51in.(130cm) RA,LA-29 in.(74cm)	B4	
		E9002ZY	G2V51C5A		AHA (AAMI) Clip			
		E9008KE	G2V51S5I		IEC Snap			
		E9003A	G2V51C5I		IEC Clip	Conmed lead wires, 24 in. (61 cm) 3-Ld	B3	
		E9008KF	G3V51S5A		AHA (AAMI) Snap	Conmed lead wires, 24 in. (61 cm) 5-Ld		
		E9003AA	G3V51C5A		AHA (AAMI) Clip			
康美型导线线 Conmed type lead wire Datex PHILIPS PIONEER PPG SPACELABS BURDICK TEKTRONIX (Vitatek) WELCH ALLYN ZOLL	 suitable for all Conmed-Plug System , Yoke type:Conmed		G0C24S3A		AHA (AAMI) Snap	Conmed lead wires, 24 in. (61 cm) 3-Ld	B3	
			G0C24C3A		AHA (AAMI) Clip			
			G0C24S3I		IEC Snap	Conmed lead wires, 24 in. (61 cm) 5-Ld	B4	
			G0C24C3I		IEC Clip			
			G0C24S5A		AHA (AAMI) Snap	Conmed lead wires, 40 in. (102 cm) 3-Ld	B4	
			G0C24C5I		AHA (AAMI) Clip			
			G0C24S5I		IEC Snap	Conmed lead wires, 40 in. (102 cm) 5-Ld	B5	
			G0C24C5A		IEC Clip			
			G0C40S3A		AHA (AAMI) Snap	Conmed lead wires, 40 in. (102 cm) 3-Ld	B4	
			G0C40C3A		AHA (AAMI) Clip			
			G0C40S3I		IEC Snap	Conmed lead wires, 40 in. (102 cm) 5-Ld	B5	
			G0C40C3I		IEC Clip			
			G0C40S5A		AHA (AAMI) Snap	Conmed lead wires, 40 in. (102 cm) 3-Ld	B4	
			G0C40C5A		AHA (AAMI) Clip			
	G0C40S5I	IEC Snap						
	G0C40C5I	IEC Clip						
ASP型导线线 ASP type lead wire Datex-Ohmeda GE-medical Pro1000	suitable for all Multi-link(VS)-Plug System , Yoke type: Multilink(VS)		G0A24S5A		AHA (AAMI) Snap	ASP lead wires, 24 in. (61 cm) , 5-Ld	B3	
			G0A24C5A		AHA (AAMI) Clip			
			G0A24S5I		IEC Snap	ASP lead wires, 40 in. (102 cm) , 3-Ld	B4	
			G0A24C5I		IEC Clip			
			G1A40S3A		AHA (AAMI) Snap	ASP lead wires, 40 in. (102 cm) , 5-Ld	B5	
			G1A41C3A		AHA (AAMI) Clip			
			G2A40S3I		IEC Snap	COLIN style lead wires, 40in. (102 cm) , 3-Ld	B4	
			G2A40C3I		IEC Clip			
			G2A40S5A		AHA (AAMI) Snap	COLIN style lead wires, 40in. (102 cm) , 5-Ld	B7	
			G2A40C5A		AHA (AAMI) Clip			
Colin科林	suitable for all Colin-Plug System , Yoke type: Colin style		G1C40S3I		IEC Snap	COLIN style lead wires, 40in. (102 cm) , 3-Ld	B4	
			G1C40C3I		IEC Grabber (Clip)			
			G1C40S5I		IEC Snap	COLIN style lead wires, 40in. (102 cm) , 5-Ld	B7	
			G1C40C5I		IEC Grabber (Clip)			

Compatible brand 兼容品牌	Product Guide 产品图片	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Color coding/Leads 颜色代码/ 标准	Description 产品描述	Price code
LM 型电缆线 LM type Lead wires	LM type trunk cable	E9008LF	G1L40S3A		AHA (AAMI) Snap	LM type lead wires, 40 in. (102 cm) , 3-Ld	B3
		E9003CL	G1L40C3A		AHA (AAMI) Clip		
		E9008LH	G1L40S3I		IEC Snap		
		E9003CN	G1L40C3I		IEC Clip		
		E9008LG	G1L40S5A		AHA (AAMI) Snap	LM type lead wires, 40 in. (102 cm) , 5-Ld	B4
		E9003CM	G1L40C5A		AHA (AAMI) Clip		
		E9008LJ	G1L40S5I		IEC Snap		
		E9003CP	G1L40C5I		IEC Clip		
欧式导联线 Euro type lead wire Mindray Siemens SPACELABS BURDICK Viggo-Spectramed (Statham) WESTINGHOUSE	 suitable for all Euro-Plug System , Yoke type: Euro style		G0E24S3A		AHA (AAMI) Snap	Euro style lead wires, 24 in. (61 cm) , 3-Ld	B3
			G0E24C3A		AHA (AAMI) Clip		
			G0E24S3I		IEC Snap		
			G0E24C3I		IEC Clip		
			G0E24S5A		AHA (AAMI) Snap	Euro style lead wires, 24 in. (61 cm) , 5-Ld	B4
			G0E24C5A		AHA (AAMI) Clip		
			G0E24S5I		IEC Snap		
			G0E24C5I		IEC Clip		
			G0E40S3A		AHA (AAMI) Snap	Euro style lead wires, 40 in. (102 cm) , 3-Ld	B4
			G0E40C3A		AHA (AAMI) Clip		
			G0E40S3I		IEC Snap		
			G0E40C3I		IEC Clip		
			G0E40S5A		AHA (AAMI) Snap	Euro style lead wires, 40 in. (102 cm) , 5-Ld	B5
			G0E40C5A		AHA (AAMI) Clip		
			G0E40S5I		IEC Snap		
			G0E40C5I		IEC Clip		
SPACELABS 太空	 suitable for all TRU-LINK Plug System , Yoke type: TRU-LINK style	700-0007-00	G0T24S3A		AHA (AAMI) Snap	TUR-LINK style lead wires, 24 in. (61 cm) , 3-Ld	B3
		700-0006-00	G0T24C3A		AHA (AAMI) Clip		
		700-0007-01	G0T24S3I		IEC Snap		
		700-0006-01	G0T24C3I		IEC Clip		
		700-0007-04	G0T24S4A		AHA (AAMI) Snap	TUR-LINK style lead wires, 24 in. (61 cm) , 4-Ld	B4
		700-0006-04	G0T24C4A		AHA (AAMI) Clip		
		700-0007-05	G0T24S4I		IEC Snap		
		700-0006-05	G0T24C4I		IEC Clip		
		700-0007-08	G0T24S5A		AHA (AAMI) Snap	TUR-LINK style lead wires, 24 in. (61 cm) , 5-Ld	B4
		700-0006-08	G0T24C5A		AHA (AAMI) Clip		
		700-0007-09	G0T24S5I		IEC Snap		
		700-0006-09	G0T24C5I		IEC Clip		
		700-0007-12	G0T24S6A		AHA (AAMI) Snap	TUR-LINK style lead wires, 24 in. (61 cm) , 6-Ld	B4
		700-0006-12	G0T24C6A		AHA (AAMI) Clip		
		700-0007-13	G0T24S6I		IEC Snap		
		700-0006-13	G0T24C6I		IEC Clip		
		700-0007-16	G0T24S10A		AHA (AAMI) Snap	TUR-LINK style lead wires, 24 in. (61 cm) , 10-Ld	B8
		700-0006-16	G0T24C10A		AHA (AAMI) Clip		
		700-0007-17	G0T24S10I		IEC Snap		
		700-0006-17	G0T24C10I		IEC Clip		
		700-0007-02	G0T40S3A		AHA (AAMI) Snap	TUR-LINK style lead wires, 40 in. (102 cm) , 3-Ld	B5
		700-0006-02	G0T40C3A		AHA (AAMI) Clip		
		700-0007-03	G0T40C3I		IEC Snap		
		700-0006-03	G0T40S3I		IEC Clip		
		700-0007-06	G0T40S4A		AHA (AAMI) Snap	TUR-LINK style lead wires, 40 in. (102 cm) , 4-Ld	B5
		700-0006-06	G0T40C4A		AHA (AAMI) Clip		
		700-0007-07	G0T40S4I		IEC Snap		
		700-0006-07	G0T40C4I		IEC Clip		
		700-0007-10	G0T40S5A		AHA (AAMI) Snap	TUR-LINK style lead wires, 40 in. (102 cm) , 5-Ld	B6
		700-0006-10	G0T40C5A		AHA (AAMI) Clip		
		700-0007-11	G0T40S5I		IEC Snap		
		700-0006-11	G0T40C5I		IEC Clip		
		700-0007-14	G0T40S6A		AHA (AAMI) Snap	TUR-LINK style lead wires, 40 in. (102 cm) , 6-Ld	B6
		700-0006-14	G0T40C6A		AHA (AAMI) Clip		
		700-0007-15	G0T40S6I		IEC Snap		
		00-0006-15	G0T40C6I		IEC Clip		
		700-0007-18	G0T40S10A		AHA (AAMI) Snap	TUR-LINK style lead wires, 40 in. (102 cm) , 10-Ld	B0
		700-0006-18	G0T40C10A		AHA (AAMI) Clip		
		700-0007-19	G0T40S10I		IEC Snap		
		700-0006-19	G0T40C10I		IEC Clip		

Compatible brand 兼容品牌	Product Guide 产品图片	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Color coding/Leads 颜色代码/ 标准	Description 产品描述	Price code
NEC	suitable for all NEC Plug System , Yoke type: NEC style		G0N29S3I		IEC Snap	47504 style lead wires,	B2
		47504	G0N29C3I		IEC Clip	29 in. (76 cm) , 3-Ld	
			G0N29S5I		IEC Snap	47505 style lead wires,	
		47505	G0N29C5I		IEC Clip	29 in. (76 cm) , 5-Ld	
Nihon Konden 日本光电	suitable for all NK-5LD Plug System , Yoke type: NK-5LD style	BR-019	G0N32S3I		IEC Snap	NK style lead wires,	B3
		BR-019P	G0N32C3I		IEC Clip	32 in. 80 cm , 3-Ld	
		BR-021P	G0N32S5I		IEC Snap	NK style lead wires,	B5
			G0N32C5I		IEC Clip	32 in. 80 cm , 5-Ld	
	suitable for all NK-5LD Plug System , Yoke type: NK-5LD style		G2N32S3I		IEC Snap	NK style lead wires,	B5
		BR-546S	G2N32C3I		IEC Clip	32 in. 80 cm , 3-Ld	
			G3N32S3I		IEC Snap	NK style lead wires,	B5
		BR-002P	G3N32C3I		IEC Clip	32 in. 80 cm , 3-Ld	
			G3N32S5I		IEC Snap	NK style lead wires,	B5
		BR-004P	G3N32C5I		IEC Clip	32 in. 80 cm , 5-Ld	
	suitable for all NK-6LD Plug System , Yoke type: NK-6LD style	BR-913P	G1N32S3I		IEC Snap	NK style lead wires,	B5
		BR-903P	G1N32C3I		IEC Clip	35 in. 90 cm , 3-Ld	
			G1N32S6I		IEC Snap	NK style lead wires,	B5
		BR-906P	G1N32C6I		IEC Clip	35 in. 90 cm , 6-Ld	